

<u>Location/Route</u>		<u>Type</u>		<u>Frequency</u>		<u>Directions</u>		<u>Measurements</u>	
OU	Both Eyes	UNG	Ointment	STAT	NOW	SIG	Directions	GTT	Drop
OD	Right Eye	SOLN	Solution	BID	2X /Day	PRN	As Needed	DR	Dram
OS	Left Eye	CRM	Cream	TID	3X /Day	C	With	mL	Milliliter
AU	Both Ears	AMP	Ampule	QID	4X /Day	UD	As Directed	TSP	Teaspoon
AD	Right Ear	PR	Rectally	QD	Every Day	SS	Half	TBL	Tablespoon
AS	Left Ear	PV	Vaginally	QH	Every Hour	AA	Of Each	OZ	Ounce
PO	Per Oral			Q _ H	Every _ Hrs	QS	Qty. Sufficient	L	Litre
IV	Intravenously			QAM	Every A.M.	DC	Discontinue	Gal	Gallon
IM	Intramuscular			QPM	Every P.M.			Mcg	Microgram
INJ	Injection			X _ D	For _ Days			Gr	Grain
SQ	Subcutaneous			HS	At Bedtime			mG	Milligram
SL	Sub-lingual			PRN	As Needed			GM	Gram
SUP	Suppository			PC	After Meal			KG	Kilogram
TAB	Tablet			AC	Before Meal			LB	Pound
CAP	Capsule			SD	Single Dose				
UD	Unit Dose								
SUSP	Suspension								
NG	Naso-gastric								